




NIMIR























Sun Deck



Main Deck



Accommodation

LOA:	28 m / 92 ft
Beam:	7 m / 23 ft
Draft	2,10 m / 6,9 ft
NRT	76
GRT	160
Year Built:	2015
Certification	RINA [C + HULL MACH, Y]
Hull Type	Semi displacement
Hull Construction:	Steel
Superstructure	Steel
Deck	Teak
Interiors	Beechwood
General arrangement	Master cabin at the main deck VIP cabin at the upper deck 2 VIP & 2 TWIN(double) guest cabins at the accommodation deck All with en-suite bathrooms Separate crew quarters at forward Captain cabin Crew cabin for 3 All cabins are with ensuite bathrooms
Tank Capacities	
Fuel	17.219 lt
Fresh water	5.200 lt
Grey water	2.350 lt
Black water	1.750 lt
Engines:	2 x YANMAR 700 HP @2200 rpm
Propulsion system	4 blades Stainless steel shaft lines ZF reduction gears
Steering System	2 x DATA DDS 460 Electro Hydraulic Steering gears
Bowthruster	SIDE POWER 300 Hydraulic
A/C	WEBASTO Chiller system
Pumps & blowers	GIANNESCHI
Water maker	HP
Toilets	TECMA
Electric system	220 / 380 V AC & 24 V DC
Gensets	KOHLER 2 x 28 kW 380 V 50 Hz 3 phase
Navigational equipment	SIMRAD AP60 AUTO PILOT VHF
Entertainment	INTELLIAN TV Antenna

	TV in salon and all cabins BOSE sound system in salon, aft and Upper deck
Galley	Fully equipped galley SIEMENS Electric cooker Oven Deepfreezer, refrigerator, dishwasher
Mooring	
Windlasses	HYD 2 x DATA Stainless steel Vertical
Capstans	HYD 2 x DATA SS Vertical
Deck Crane	OPACMARE 600 kg Electro Hydraulic
Gangway	OPACMARE 4 m / 150 kg capacity
Transformer	EZBERCI
Safety & Mooring	2 x 140 m chain CCTV Touch screen monitoring & control Central Fire Detection System Engine room CO2 System LALIZAS 2 x 10 pax Life rafts
Tender	4,20 m GRAND
Outboard engine	YAMAHA 50 HP

This document has no legal or certification value at all. The photos, technical data, designs or graphic reproductions are purely indicative. The only indications binding on the seller are contained solely in the act of purchase and in the relevant contract. Contracts are not valid without actual receipt of down payment.